# 1998 *FPJ* SUBJECT AND AUTHOR INDEX

All of the articles in the 1998 *Forest Products Journal*, volume 48, are listed both by subject and by author. Reprints of most articles are available at $6 each. Bulk rates are also available. Please give reprint numbers when ordering. When printer-quality reprints are no longer available, photocopies can be ordered at 50 cents per page. All orders are subject to a $6 minimum charge plus $5 handling charge per order. There is a charge of $6 for a copy of the 1998 *FPJ* Subject and Author Index.


### ADHESIVES/ADHESION

Bondability of Salvaged Yellow-Cedar With Phenol-Resorcinol Adhesive and Hydroxymethylated Resorcinol Coupling Agent, E.A. Okkonen and C.B. Vick, 11/12:81-85 (No. 8722).

Effect of Wood Grain and Veneer Side on Loblolly Pine Veneer Wettability, T.E. Shupe, C.Y. Hse, E.T. Choong, and L.H. Groom, 6:95-97 (No. 8754).

Investigating the Molecular and Bulk Dynamics of PMDI/Wood and UF/Wood Composites, J.J. Marcinko, S. Devathala, P.L. Rinaldi, and S. Bao, 6:81-84 (No. 8758).

Methyl Glucoside and Lignosulphonate Extenders for Use With Particleboard UF Resins, J.J. Janowiak and B.S. Carlson, 11/12: 65-70 (No. 8495).

Properties of Wood/Agricultural Fiberboard Bonded With Soybean-Based Adhesives, M. Kuo, D. Adams, D. Myers, D. Curry, H. Heemstra, J.L. Smith, and Y. Bian, 2:71-75 (No. 8652).

Strength and Durability of One-Part Polyurethane Adhesive Bonds to Wood, C.B. Vick and E.A. Okkonen, 11/12:71-76 (No. 8844).

### ANATOMY AND QUALITY

Relationships Among Growth Rate, Vessel Lumen Area, and Wood Permeability for Three Central Hardwood Species, P.Y.S. Chen, G. Zhang, and J.W. Van Sambeek, 3:87-90 (No. 8211).

Shrinkage of Fast-Growing Hybrid Poplar Clones, A. Koubaa, R.E. Hernández, and M. Beaudoin, 4:82-87 (No. 8693).

Visual Tree Grading Systems for Estimating Lumber Yields in Young and Mature Southern Pine, A. Clark III and R.H. McAlister, 10:59-67 (No. 8769).

### CHEMISTRY AND CHEMICAL MODIFICATION

Use of a Modified Abderhalden Apparatus to Determine Moisture and Oil Content of Eastern Redcedar, K.W. Payne, R. Wittwer, S. Anderson, and E.J. Eisenbraun, 7/8:91-93 (No. 8768).

Properties of Styrene-Maleic Anhydride Copolymers Containing Wood-Based Fillers, J. Simonsen, R. Jacobson, and R. Rowell, 1:89-92 (No. 8609).

### COMPOSITES AND ENGINEERED PRODUCTS

Effect of Press Closing Time and Target Thickness on Surface Roughness of Particleboard, S. Hiziroglu and M.Graham, 3:50-54 (No. 8638).

Impact of Steam Pressing Variables on the Dimensional Stabilization of Flakeboard, J.H. Kwon and R.L. Geimer, 4:55-61 (No. 8705).

Influence of Three Processing Strategies on Stiffness and Dimensional Stability of Radiata Pine Structural Lumber, O.V. Harding, J.L. Van Wyk, and R.P. Orange, 5:57-62 (No. 8766).

Inorganic-Bonded Composite Wood Panel Systems for Low-Cost Housing: A Central American Perspective, A. Ramirez-Coretti, C.A. Eckelman, and R.W. Wolfe, 4:62-68 (No. 8678).

Simulation Study of Wood-Flake Composite Mat Structures, C. Lu, P.R. Steiner, and F. Lam, 5:89-93 (No. 8707).

A System of Equations for Prediction of Plywood Veneer Total Yield and Yield by Grade for Loblolly Pine Plywood Bolts, T.B. Lynch and M.L. Clutter, 5:80-88 (No. 8700).

Variability of Particleboard Properties From Single- and Mixed-Species Processes, W. Xu and O. Suchsland, 9:68-74 (No. 8776).

### DETERIORATION/DEGRADATION AND PRESERVATION

Alternative Wood Preservatives for Use in Indonesia, P. Permadi, R.C. De Groot, and B. Woodward, 11/12:98-101 (No. 8642).

Detection of AE Generated by the Feeding Activity of Termites Using PVDF (polyvinylidene fluoride) Film, Y. Yanase, Y. Fujii, S. Okumura, Y. Imamura, and T. Yoshimura, 7/8:43-46 (No. 8617).

Disposal of CCA-Treated Wood, J. McQueen and J. Stevens, 11/12:86-90 (No. 8747).

Field Durability of CCA- and ACA-Treated Plywood Composed of Hardwood and Softwood Veneers, R.C. De Groot, L.R. Gjovik, D. Crawford, and B. Woodward, 2:76-82 (No. 8683).

Field Performance of CCA Type C Non-Pressure-Treated Northern White Cedar (*Thuja occidentalis L.*) Sapwood, D.P. Kamdem, J.H. Hart, and E. Behr, 2:49-51 (No. 8654).

An Industry Evaluation of the Refuse, Recycling, and Reduction of Spent CCA Wood Products, R.L. Smith and R.-J. Shiau, 2:44-48 (No. 8657).

Mill Trial Confirms Control of Lumber Graystain and Sticker Shadow After Fumigation of Southern Hardwood Logs With Methyl Bromide, E.L. Schmidt, T.L. Amburgey, and S.C. Kitchens, 6:50-52 (No. 8726).

Nondestructive Detection of Heart Rot of *Acacia Mangium* Trees in Malaysia, K. Yamamoto, O. Sulaiman, and R. Hashim, 3:83-86 (No. 8685).

Performance of Gelled, Pelletized, and Liquid Metham Sodium as Internal Remedial Treatments for Douglas-fir Poles, J.J. Morrell, P.F. Schneider, and P.G. Forsyth, 10:75-79 (No. 8293).

Preservative Treatment Evaluation of Five Appalachian Hardwoods at Two Moisture Contents, C.C. Hassler, J.J. Slahor, R.C. De Groot, and D.J. Gardner, 7/8:37-42 (No. 8756).

Protection of Freshly Cut Radiata Pine Chips From Fungal Attack, J.J. Morrell, C.M. Freitag, and A. Silva, 2:57-59 (No. 8680).

Rates of MITC Release From Basamid® Applied With Selected Additives to Douglas-fir Poles, P.G. Forsyth, J.J. Morrell, and H. Chen, 2:40-43 (No. 8653).

Reconstituted Particleboards From CCA-Treated Red Pine Utility Poles, J.M. Munson and D.-P. Kamdem, 3:55-62 (No. 8674).

Resistance of Pine Treated With Chromated Copper Arsenate to the Formosan Subterranean Termite, J.K. Grace, 3:79-82 (No. 8682).

The Role of Grade and Thickness in the Degradation of Fire-Retardant-Treated Plywood, S.T. Lebow and J.E. Winandy, 6:88-94 (No. 8757).

Seven-Year Performance of Glass-Encapsulated Methylisothiocyanate, J.J. Morrell, C.M. Freitag, M.A. Newbill. A. Connelly, and H. Chen, 1:65-71 (No. 8644).

# 1998 *FPJ* SUBJECT AND AUTHOR INDEX

All of the articles in the 1998 *Forest Products Journal*, volume 48, are listed both by subject and by author. Reprints of most articles are available at $6 each. Bulk rates are also available. Please give reprint numbers when ordering. When printer-quality reprints are no longer available, photocopies can be ordered at 50 cents per page. All orders are subject to a $6 minimum charge plus $5 handling charge per order. There is a charge of $6 for a copy of the 1998 *FPJ* Subject and Author Index.


### ADHESIVES/ADHESION

Bondability of Salvaged Yellow-Cedar With Phenol-Resorcinol Adhesive and Hydroxymethylated Resorcinol Coupling Agent, E.A. Okkonen and C.B. Vick, 11/12:81-85 (No. 8722).

Effect of Wood Grain and Veneer Side on Loblolly Pine Veneer Wettability, T.E. Shupe, C.Y. Hse, E.T. Choong, and L.H. Groom, 6:95-97 (No. 8754).

Investigating the Molecular and Bulk Dynamics of PMDI/Wood and UF/Wood Composites, J.J. Marcinko, S. Devathala, P.L. Rinaldi, and S. Bao, 6:81-84 (No. 8758).

Methyl Glucoside and Lignosulphonate Extenders for Use With Particleboard UF Resins, J.J. Janowiak and B.S. Carlson, 11/12: 65-70 (No. 8495).

Properties of Wood/Agricultural Fiberboard Bonded With Soybean-Based Adhesives, M. Kuo, D. Adams, D. Myers, D. Curry, H. Heemstra, J.L. Smith, and Y. Bian, 2:71-75 (No. 8652).

Strength and Durability of One-Part Polyurethane Adhesive Bonds to Wood, C.B. Vick and E.A. Okkonen, 11/12:71-76 (No. 8844).

### ANATOMY AND QUALITY

Relationships Among Growth Rate, Vessel Lumen Area, and Wood Permeability for Three Central Hardwood Species, P.Y.S. Chen, G. Zhang, and J.W. Van Sambeek, 3:87-90 (No. 8211).

Shrinkage of Fast-Growing Hybrid Poplar Clones, A. Koubaa, R.E. Hernández, and M. Beaudoin, 4:82-87 (No. 8693).

Visual Tree Grading Systems for Estimating Lumber Yields in Young and Mature Southern Pine, A. Clark III and R.H. McAlister, 10:59-67 (No. 8769).

### CHEMISTRY AND CHEMICAL MODIFICATION

Use of a Modified Abderhalden Apparatus to Determine Moisture and Oil Content of Eastern Redcedar, K.W. Payne, R. Wittwer, S. Anderson, and E.J. Eisenbraun, 7/8:91-93 (No. 8768).

Properties of Styrene-Maleic Anhydride Copolymers Containing Wood-Based Fillers, J. Simonsen, R. Jacobson, and R. Rowell, 1:89-92 (No. 8609).

### COMPOSITES AND ENGINEERED PRODUCTS

Effect of Press Closing Time and Target Thickness on Surface Roughness of Particleboard, S. Hiziroglu and M.Graham, 3:50-54 (No. 8638).

Impact of Steam Pressing Variables on the Dimensional Stabilization of Flakeboard, J.H. Kwon and R.L. Geimer, 4:55-61 (No. 8705).

Influence of Three Processing Strategies on Stiffness and Dimensional Stability of Radiata Pine Structural Lumber, O.V. Harding, J.L. Van Wyk, and R.P. Orange, 5:57-62 (No. 8766).

Inorganic-Bonded Composite Wood Panel Systems for Low-Cost Housing: A Central American Perspective, A. Ramirez-Coretti, C.A. Eckelman, and R.W. Wolfe, 4:62-68 (No. 8678).

Simulation Study of Wood-Flake Composite Mat Structures, C. Lu, P.R. Steiner, and F. Lam, 5:89-93 (No. 8707).

A System of Equations for Prediction of Plywood Veneer Total Yield and Yield by Grade for Loblolly Pine Plywood Bolts, T.B. Lynch and M.L. Clutter, 5:80-88 (No. 8700).

Variability of Particleboard Properties From Single- and Mixed-Species Processes, W. Xu and O. Suchsland, 9:68-74 (No. 8776).

### DETERIORATION/DEGRADATION AND PRESERVATION

Alternative Wood Preservatives for Use in Indonesia, P. Permadi, R.C. De Groot, and B. Woodward, 11/12:98-101 (No. 8642).

Detection of AE Generated by the Feeding Activity of Termites Using PVDF (polyvinylidene fluoride) Film, Y. Yanase, Y. Fujii, S. Okumura, Y. Imamura, and T. Yoshimura, 7/8:43-46 (No. 8617).

Disposal of CCA-Treated Wood, J. McQueen and J. Stevens, 11/12:86-90 (No. 8747).

Field Durability of CCA- and ACA-Treated Plywood Composed of Hardwood and Softwood Veneers, R.C. De Groot, L.R. Gjovik, D. Crawford, and B. Woodward, 2:76-82 (No. 8683).

Field Performance of CCA Type C Non-Pressure-Treated Northern White Cedar (*Thuja occidentalis L.*) Sapwood, D.P. Kamdem, J.H. Hart, and E. Behr, 2:49-51 (No. 8654).

An Industry Evaluation of the Refuse, Recycling, and Reduction of Spent CCA Wood Products, R.L. Smith and R.-J. Shiau, 2:44-48 (No. 8657).

Mill Trial Confirms Control of Lumber Graystain and Sticker Shadow After Fumigation of Southern Hardwood Logs With Methyl Bromide, E.L. Schmidt, T.L. Amburgey, and S.C. Kitchens, 6:50-52 (No. 8726).

Nondestructive Detection of Heart Rot of *Acacia Mangium* Trees in Malaysia, K. Yamamoto, O. Sulaiman, and R. Hashim, 3:83-86 (No. 8685).

Performance of Gelled, Pelletized, and Liquid Metham Sodium as Internal Remedial Treatments for Douglas-fir Poles, J.J. Morrell, P.F. Schneider, and P.G. Forsyth, 10:75-79 (No. 8293).

Preservative Treatment Evaluation of Five Appalachian Hardwoods at Two Moisture Contents, C.C. Hassler, J.J. Slahor, R.C. De Groot, and D.J. Gardner, 7/8:37-42 (No. 8756).

Protection of Freshly Cut Radiata Pine Chips From Fungal Attack, J.J. Morrell, C.M. Freitag, and A. Silva, 2:57-59 (No. 8680).

Rates of MITC Release From Basamid® Applied With Selected Additives to Douglas-fir Poles, P.G. Forsyth, J.J. Morrell, and H. Chen, 2:40-43 (No. 8653).

Reconstituted Particleboards From CCA-Treated Red Pine Utility Poles, J.M. Munson and D.-P. Kamdem, 3:55-62 (No. 8674).

Resistance of Pine Treated With Chromated Copper Arsenate to the Formosan Subterranean Termite, J.K. Grace, 3:79-82 (No. 8682).

The Role of Grade and Thickness in the Degradation of Fire-Retardant-Treated Plywood, S.T. Lebow and J.E. Winandy, 6:88-94 (No. 8757).

Seven-Year Performance of Glass-Encapsulated Methylisothiocyanate, J.J. Morrell, C.M. Freitag, M.A. Newbill. A. Connelly, and H. Chen, 1:65-71 (No. 8644).

Sulfuryl Fluoride and Methyl Bromide Fumigation of Hardwood Logs of Various Ages for Control of Lumber Graystain, E.L. Schmidt, T.L. Amburgey, M.G. Sanders, and C.D. Bell, 11/12:77-80 (No. 8780).

Surface Treatments Protecting Untreated Douglas-fir Timbers From Internal Decay, J.J. Morrell, M.A. Newbill, G.G. Helsing, and R.D. Graham, 5:63-66 (No. 8679).

Termite Attack Resistance of Four Polystyrene-Impregnated Woods From Poland, Y.S. Hadi, D.S. Nawawi, E.N. Herliyana, and M. Lawniczak, 9:60-62 (No. 8738).

Toxicity of Methyl Bromide to Four Pathogenic Fungi in Larch Heartwood, R.G. Rhatigan, J.J. Morrell, and G.M. Filip, 3:63-67 (No. 8686).

Use of Borate Compounds to Prevent Insect Damage to Furniture Hickory Rounds With the Bark Intact, D.L. Cassens and E.L. Schmidt, 3:36-37 (No. 8659).

Use of Gamma Radiation to Eliminate Fungi From Wood, C.M. Freitag and J.J. Morrell, 3:76-78 (No. 8677).

Wood Hardness of Utility Poles. Part 1. Study of Physical Parameters in Correlation With the Linemen's Psychophysical Perception of Wood Pole Hardness, R. Gilbert, A. Besner, C. Roy, and P. Octeau, 10:49-58 (No. 8741).

### Drying and Storage

Effect of Radio-Frequency/Vacuum Drying and Mechanical Press-Drying on Shrinkage and Checking of Walnut Log Cross Sections, N.-H. Lee, K. Hayashi, and H.-S. Jung, 5:73-79 (No. 8513).

Effects of Elevated and High-Temperature Schedules on Warp in Southern Yellow Pine Lumber, Q. Wu and W.R. Smith, 2:52-56 (No. 8676).

Kiln-Drying Maple Structural Lumber From Log Heart Cants, W.T. Simpson, J.W. Forsman, and R.J. Ross, 6:70-76 (No. 8773).

Microwave Drying of Spruce: Moisture Content, Temperature, and Heat Energy Distribution, P. Zielonka and K. Dolowy, 6:77-80 (No. 8719).

### Energy Generation and Conservation

A Case Study of Fluidized-Bed Combustion of Wood/Coal Mixtures. Part A. The Effect of Wood Particle Size, W.A. Helmer, D.D. Stokke, and J. Sun, 3:46-49 (No. 8666).

A Case Study of Fluidized-Bed Combustion of Wood/Coal Mixtures. Part B. The Effect of Wood Moisture Content, W.A. Helmer and D.D. Stokke, 4:51-54 (No. 8667).

Changes in Wood-Fired Boiler Use in West Virginia: A Status Report, R.B. Anderson, 10:85-88 (No. 8787).

Wood Pellets in the Swedish Residential Market, B. Hillring and J. Vinterbäck, 5:67-72 (No. 8660).

Woodwaste Biomass Cofiring With High Sulphur Coal for Power Generation in Kentucky: A Case Study, J.M. Ringe, D.H. Graves, and J.E. Reeb, 4:88-93 (No. 8649).

### Engineering and Mechanical Properties

Achieving Equivalence in Floor Deflection Performance With Differing Lumber Grading Systems, S.K. Suddarth, W.L. Galligan, and D.A. DeVisser, 6:61-65 (No. 8709).

Design Procedure for the Lateral Resistance of Tension Splice Joints in MPC Wood Trusses, P.J. O'Regan, F.E. Woeste, and D.B. Brakeman, 6:66-69 (No. 8688).

Design Procedure for the Steel Net-Section of Tension Splice Joints in MPC Wood Trusses, P.J. O'Regan, F.E. Woeste, and S.L. Lewis, 5:35-42 (No. 8687).

Dynamic Embedment of Metal Plate Connections, T.C. Nagele and K.J. Fridley, 2:91-98 (No. 8669).

The Effect of Edge Knots on the Strength of SPF MSR Lumber, T. Courchene, F. Lam, and J.D. Barrett, 4:75-81 (No. 8674).

The Effect of Juvenile Wood and Lay-Up Practices on Various Properties of Radiata Pine Laminated Veneer Lumber, O.V. Harding and R.P. Orange, 7/8:63-70 (8744).

End-Notching Effect on Flexural Stiffness of Lumber: Preliminary Evaluation,G.C. Foliente and T.E. McLain, 7/8:54-56 (No. 8708).

Estimation of Lower Tail Quantiles of Weibull Probability Distributions for Lumber Strength, S.R. Durrans, M.H, Triche, and S.K. Suddarth, 1:96-101 (No. 8629).

Evaluating the Load Capacity of Glulam Davit Arms After 20 Years of Exposure, R.J. Leichti, W.K. Savage III, and J.J. Morrell, 7/8:57-62 (No. 8751).

Fiberglass-Reinforced Bolted Wood Connections, L.A. Soltis, R.J. Ross, and D.F. Windorski, 9:63-67 (No. 8760).

Impact of Using a System Factor in the Design of Light-Frame Roof Assemblies, P.V. Mtenga, 5:27-34 (No. 8724).

Mechanical Properties of Plywood Reinforced by Bamboo or Jute, H. Xu, C. Tanaka, T. Nakao, and H. Katayama, 1:81-85 (No. 8615).

Wood Failure in Plywood Shear Samples Measured With Image Analysis, A.G. Zink and E. Kartunova, 4:69-74 (No. 8716).

### Furniture and Hardwood Veneer/Plywood

Effect of Number of Fasteners on the Strength of Cornor Joints for Cases, W.-Q. Liu, and C.A. Eckelman, 1:93-95 (No. 8557).

### Lumber Production

Automated Grading and Defect Detection: A Review, D.T. Pham and R.J. Alcock, 4:34-42 (No. 8695).

Character-Marked Furniture: Potential for Lumber Yield Increase in Rip-First Rough Mills, U. Buehlmann, J.K. Wiedenbeck, and D.E. Kline, 4:43-50 (No. 8681).

Decision Support System for Lumber Procurement and Dry Kiln Scheduling, J.C. -C. Huang, C.T. Culbreth, J.A. Joines, R.E. King, and T.J. Hodgson, 9:51-59 (No. 8759).

Inside-Out Beams From Small-Diameter Appalachian Hardwood Logs, D.W. Patterson, and X. Xie, 1:76-80 (No. 8634).

An Introduction to UGRS: The Ultimate Grading and Remanufacturing System, J. Moody, C.J. Gatchell, E.S. Walker, and P. Klinkhachorn, 9:45-50 (No. 8689).

Live-Sawing Hardwood Logs for Furniture Dimension Production, V. Barnekov, O. Suchsland, and R. Nedeltchev, 2:34-39 (No. 8631).

Locating Knots in Wood With an Infrared Detector System, F. Quin, Jr., P.H. Steele, and R. Shmulsky, 10:80-84 (No. 8636).

Performance of Color Camera Machine Vision in Automated Furniture Rough Mill Systems, D.E. Kline, A. Widoyoko, J.K. Wiedenbeck, and P.A. Araman, 3:38-45 (No. 8646).

A Quick Defect Detection Algorithm for Magnetic Resonance Images of Hardwood Logs, E.R. Coates, S.J. Chang, and T.W. Liao, 10:68-74 (No. 8664).

Replicating Sawmill Sawing With TOPSAW Using CT Images of a Full-Length Hardwood Log, S. Guddanti and S.J. Chang, 1:72-75 (No. 8616).

ROMI-CROSS: An Analysis Tool for Cross-Cut-First Roughmill Operations, R.E. Thomas, 3:68-72 (No. 8650).

### Marketing, Management, and Economics

The Adoption of ISO 9000, ISO 14001, and the Demand for Certified Wood Products in the Business and Institutional Furniture Industry, S. Ruddell and J.A. Stevens, 3:19-26 (No. 8661).

An Assessment of "Technology Push" in the Timber Bridge Industry, R.L. Smith and E. Cesa, 1:42-46 (No. 8621).

An Assessment of the Industrial Markets for Softwood Clearwood Lumber, I.L. Eastin, C.L. Lane, R.D. Fight, and J. Barbour, 11/12:48-54 (No. 8690).

Customer Preference for Pacific Northwest Hardwoods, K.A. Swearingen, E.N. Hansen, and J.E. Reeb, 2:29-33 (No. 8655).

DEA: A New Methodology for Evaluating the Performance of Forest Products Producers, R. Yin, 1:29-34 (No. 8651).

The Effects of Federal and State Death and Gift Taxes on Nonindustrial Private Forest Lands in the Midwestern States, D.M. Peters, H.L. Haney, Jr., and J.L. Greene, 9:35-44 (No. 8633).

Hardwood Plywood Product and Service Attributes Important to North American Hardwood Plywood Distributors, C.L. Forbes, 6:23-27 (No. 8720).

The Impact of the North American Free Trade Agreement on U.S. Forest Products Trade With Canada and Mexico: An Assessment, J. Lyke, 1:23-28 (No. 8637).

An Integrated Market-Based Methodology for Value-Added Solid Wood Products Sector Economic Development, R.P. Vlosky, N.P. Chance, P.A. Monroe, D.W. Hughes, and L.B. Blalock, 11/12:29-35 (No. 8775).

Marketing Characteristics of Michigan Hardwood Products Exporters, S.D. Dickerson and J. Stevens, 11/12:36-42 (No. 8755).

An Overview of Firm Innovativeness and the Role of Public Sector Assistance in a Sample of Dimension and Millwork Firms, M.S. Bumgardner and R.L. Romig, 1:35-41 (No. 8624).

Partnerships Versus Typical Relationships Between Wood Products Distributors and Their Manufacturer Suppliers, R.P. Vlosky, E.J. Wilson, D.H. Cohen, R. Fontenot, W.J. Johnston, R.A. Kozak, D. Lawson, J.E. Lewin, D.A. Paun, E.S. Ross, J.T. Simpson, P.M. Smith, T. Smith, and B.M. Wren, 3:27-35 (No. 8656).

Potential for Small-Diameter Sawtimber Utilization by the Current Sawmill Industry in Western North America, F.G. Wagner, C.E. Keegan, III, R.D. Fight, and S. Willits, 9:30-34 (No. 8743).

Potential for Using Small-Diameter Ponderosa Pine: A Wood Fiber Projection, D. Larson and R. Mirth, 6:37-42 (No. 8714).

Product and Supplier Factors Affecting the Purchasing of U.S. Wood Products in the United Kingdom, J.M. Guerin and R.W. Rice, 6:28-36 (No. 8699).

Production Facility Site Selection Factors for Texas Value-Added Wood Producers, J.H. Michael, J. Teitel, and J.E. Granskog, 7/8: 27-32 (No. 8783).

Recent Price Trends for Non-Timber Forest Products in the Pacific Northwest, K.A. Blatner and S. Alexander, 10:28-34 (No. 8781).

A Review of Current Research of Native Australian Species for Value-Added Opportunities, B. Ozarska, 10:23-27 (No. 8737).

The Structure of the Hardwood Plywood Distribution Industry, C.L. Forbes, 5:21-26 (No. 8684).

Timberland in Institutional Portfolios and the Question of Persistence, J.P. Caulfield, 4:23-28 (No. 8710).

### Milling and Machining

Effects of Work Materials on Cutting Performance of Diamond-Coated Cemented Carbide Tools, T. Morita, K. Banshoya, T. Tsutsumoto, and Y. Murase, 5:43-50 (No. 8711).

Finger-Joint Quality After 4, 6, and 32 Hours of Knife Wear: Preliminary Results, J.E. Reeb, J.J. Karchesy, J.R. Foster, and R.L. Krahmer, 7/8:33-36 (No. 8777).

### Physics and Moisture Relations

Dimensional Stability of Red Oak Panels Produced From Small-Diameter Top Logs, J.R. Serrano and D. Cassens, 7/8:71-74 (No. 8717).

Influence of Out-of-Plane Orientation of Particles on Linear Expansion of Particleboard: A Simulation Study, W. Xu and O. Suchsland, 6:85-87 (No. 8697).

Studies on the Softening Point of Wood Powder as a Basis for Understanding the Release of Residual Growth Stresses in Logs, Á. Tejada, T. Okuyama, H. Yamamoto, M. Yoshida, T. Imai, and T. Itoh, 7/8:84-90 (No. 8778).

### Recycling and Residue Utilization

Laboratory Experiments on the Use of Recycled Newsprint in Wood Composites, O. Suchsland, S. Hiziroglu, T. Sean, and G. Iyengar, 11/12:55-64 (No. 8765).

Mill Residue Volume Factor Changes in Idaho and Montana, C.E. Keegan, III, D.P. Wichman, K.A. Blatner, D.D. Van Hooser, and S.A. Willits, 3:73-75 (No. 8672).

Recycled Plastic/Wood Composite Lumber Attacked by Fungi, P.I. Morris and P. Cooper, 1:86-88 (No. 8663).

### Testing and Test Methodology

A Comparison of Test Methods for Evaluating Shear Strength of Structural Lumber, D.S. Riyanto and R. Gupta, 2:83-90 (No. 8626).

A Method for Prediction of In-Situ Strength of Timber Beams Based on Higher Order Elastic Coefficients, M.L. Peterson, R.M. Gutkowski, S. Srinath, and C. Mittlestadt, 10:89-93 (No. 8721).

Two Procedural Aspects of Measuring Formaldehyde Release From Wood Panel Products Using The Large Chamber, W.J. Groah, G.D. Gramp, G.L. Heroux, and D.W. Haavik, 9:75-80 (No. 8605).

Wood Hardness of Utility Poles. Part 2. Transposition of a Wood Hardness Indicator Into a Measuring Instrument in Correlation With Linemen's Perception, R. Gilbert, A. Besner, C. Roy, and P. Octeau, 11/12:91-97 (No. 8742).

### Timber Production and Harvesting

1993 Pulpwood Logging Contractor Survey, I.A. Munn, J.B. Cutshall, and D.G. Hodges, 7/8:47-53 (No. 8704).

Characteristics of Logging Contractors and Their Employees in Georgia, W.D. Greene, B.D. Jackson, and D.C. Woodruff, 1:47-53 (No. 8645).

A Comparative Analysis of Hardwood Sawtimber Quality on National Forests Versus Adjacent Lands, W.G. Luppold, J.E. Baumgras, and R. M. Sheffield, 5:51-56 (No. 8712).

Comparative Economic Analysis of Two Management Options for Loblolly Pine Timber Plantations, E.J. Biblis, H. Carino, and L. Teeter, 4:29-33 (No. 8670).

A Comparison of Stumpage Valuation Methods for Procuring Wood Used in Linerboard Production, M.R. Dubois, 10:35-42 (No. 8745).

An Examination of West Virginia's Logging Industry, W.G. Luppold, C.C. Hassler, and S. Grushecky, 2:60-64 (No. 8662).

Forestry BMP Implementation Costs for Virginia, R.M. Shaffer, H.L. Haney, Jr., E.G. Worrell, and W.M. Aust, 9:27-29 (No. 8786).

Industrial Timberland: Current Situation, Holding Rationale, and Future Development, R. Yin, J.P. Caulfield, M.E. Aronow, and T.G. Harris, Jr., 10:43-48 (No. 8727).

An Overview of Logyards in Louisiana, C.F. de Hoop, S.R. Kleit, and S. Chen, 2:65-70 (8640).

Productivity and Cost Relationships for Harvesting Ponderosa Pine Plantations, B.R. Hartsough, A. Gicqueau, and R.D. Fight, 9:87-93 (No. 8694).

Removal Intensity and Tree Size Effects on Harvesting Cost and Profitability, R. Kluender, D. Lortz, W. McCoy, B. Stokes, and J. Klepac, 1:54-59 (No. 8499).

Some Flaws in the Draft 1995 RPA Program, C. Schallau, W. McKillop, and W.R. Maki, 11/12:43-47 (No. 8750).

Stand, Harvest, and Equipment Interactions in Simulated Harvesting Prescriptions, J. Wang, W.D. Greene, and B.J. Stokes, 9:81-86 (No. 8696).

Update Assessment of Portuguese Maritime Pine Timber, H. Cruz, L. Nunes, and J.S. Machado, 1:60-64 (No. 8643).

### Wood and the Environment

Carbon Cycling Through Wood Products: The Role of Wood and Paper Products in Carbon Sequestration, K.E. Skog and G.A. Nicholson, 7/8:75-83 (No. 8675).

Environmental Certification of Wood Products: The U.S. Manufacturers' Perspective, R.P. Vlosky and L.K. Ozanne, 9:21-26 (No. 8761).

Forest Products Certification: A Survey of Manufacturers, J. Stevens, M. Ahmad, and S. Ruddell, 6:43-49 (No. 8740).

The Nature and Status of Certification in the United States, D.R. Carter and F.D. Merry, 2:23-28 (No. 8625).

Thermal Performance and Embodied Energy of Cold Climate Wall Systems, P. Pierquet, J.L. Bowyer, and P. Huelman, 6:53-60 (No. 8665).

## Feature Articles

China: Changing Wood Products Markets, D. Zhang, J. Liu, J. Granskog, and J. Gan, 6:14-20 (No. 8732).

Extolling the Design and Construction Virtues of Wood, N. Johnson, 5:12-17 (No. 8731).

International Market Access Issues For Forest Products, S. Ruddell, J.A. Stevens, and I.J. Bourke, 11/12:20-26 (No. 8736).

Nondestructive Evaluation of Wood, R.J. Ross, B.K. Brashaw, and R.F. Pellerin, 1:14-19 (No. 8728).

Non-Timber Forest Products: The *Other* Forest Products, J. Chamberlain, R. Bush, and A.L. Hammett, 10:10-19 (No. 8735).

South Africa: Portrait of an Emerging Wood Products Market, R.W. Rice, 9:12-17 (No. 8734).

Students Recruiting Students at Virginia Tech, R.G. Schmidt, 3:12-16 (No. 8730).

Women's Work in Wood Products, J.K. Wiedenbeck, 7/8:12-23 (No. 8733).

WoodLINKS: An Education and Industry Revolution, R.D. Forrest and S. Steward, 2:14-20 (No. 8729).

### A

Adams, D., see Kuo, M.

Ahmad, M., see Stevens, J.

Alcock, R.J., see Pham, D.C.

Alexander, S., see Blatner, K.A.

Amburgey, T.L., see Schmidt, E.L.

Anderson, R.B., Changes in Wood-Fired Boiler Use in West Virginia: A Status Report, 10:85-88 (No. 8787).

Anderson, S., see Payne, K.W.

Araman, P.A., see Kline, D.E.

Aronow, M.E., see Yin, R.

Aust, W.M., see Shaffer, R.M.

### B

Banshoya, K., see Morita, T.

Bao, S., see Marcinko, J.J.

Barbour, J., see Eastin, I.L.

Barnekov, V., O. Suchsland, and R. Nedeltchev, Live-Sawing Hardwood Logs for Furniture Dimension Production, 2:34-39 (No. 8631).

Barrett, J.D., see Courchene, T.

Baumgras, J.E., see Luppold, W.G.

Beaudoin, M., see Koubaa, A.

Behr, E., see Kamdem, D.P.

Bell, C.D., see Schmidt, E.L.

Besner, A., see Gilbert, R.

Bian, Y., see Kuo, M.

Biblis, E.J., H. Carino, and L. Teeter, Comparative Economic Analysis of Two Management Options for Loblolly Pine Timber Plantations, 4:29-33 (No. 8670).

Blalock, L.B., see Vlosky, R.P.

Blatner, K.A. and S. Alexander, Recent Price Trends for Non-Timber Forest Products in the Pacific Northwest, 10:28-34 (No. 8781).

Blatner, K.A., see Keegan III, C.E.

Bourke, I.J., see Ruddell, S.

Bowyer, J.L., see Pierquet, P.

Brakeman, D.B., see O'Regan, P.J.

Brashaw, B.K., see Ross, R.J.

Buehlmann, U., J.K. Wiedenbeck, and D.E. Kline, Character-Marked Furniture: Potential for Lumber Yield Increase in Rip-First Rough Mills, 4:43-50 (No. 8681).

Bumgardner, M.S. and R.L. Romig, An Overview of Firm Innovativeness and the Role of Public Sector Assistance in a Sample of Dimension and Millwork Firms, 1:35-41 (No. 8624).

Bush, R., see Chamberlain, J.

### C

Carino, H., see Biblis, E.J.

Carlson, B.S., see Janowiak, J.J.

Carter, D.R. and F. D. Merry, The Nature and Status of Certification in the United States, 2:23-28 (No. 8625).

Cassens, D.L. and E.L. Schmidt, Use of Borate Compounds to Prevent Insect Damage to Furniture Hickory Rounds With the Bark Intact, 3:36-37 (No. 8659).

Cassens, D., see Serrano, J.R.

Caulfield, J.P., see Yin, R.

Caulfield, J.P., Timberland in Institutional Portfolios and the Question of Persistence, 4:23-28 (No. 8710).

Cesa, E., see Smith, R.L.

Chamberlain, J., R. Bush, and A.L. Hammett, Non-Timber Forest Products: The *Other* Forest Products, 10:10-19 (No. 8735).

Chance, N.P., see Vlosky, R.P.

Chang, S.J., see Coates, E.R.

Chang, S.J., see Guddanti, S.

Chen, H., see Forsyth, P.G.

Chen, H., see Morrell, J.J.

Chen, P.Y.S., G. Zhang, and J.W. Van Sambeek, Relationships Among Growth Rate, Vessel Lumen Area, and Wood Permeability for Three Central Hardwood Species, 3:87-90 (No. 8211).

Chen, S., see de Hoop, C.F.

Choong, E.T., see Shupe, T.E.

Clark A., III, and R.H. McAlister, Visual Grading Systems for Estimating Lumber Yields in Young and Mature Southern Pine, 10:59-67 (No. 8769).

Clutter, M.L., see Lynch, T.B.

Coates, E.R., S.J. Chang, and T.W. Liao, A Quick Defect Detection Algorithm for Magnetic Resonance Images of Hardwood Logs, 10:68-74 (No. 8664).

Cohen, D.H., see Vlosky, R.P.

Connelly, A., see Morrell, J.J.

Cooper, P., see Morris, P.I.

Courchene, T., F. Lam, and J.D. Barrett, The Effect of Edge Knots on the Strength of SPF MSR Lumber, 4:75-81 (No. 8674).

Crawford, D., see De Groot, R.C.

Cruz, H., L. Nunes, and J.S. Machado, Update Assessment of Portuguese Maritime Pine Timber, 1:60-64 (No. 8643).

Culbreth, C.J., see Huang, J.C.-C.

Curry, D., see Kuo, M.

Cutshall, J.B., see Munn. I.A.

### D

De Groot, R.C., L.R. Gjovik, D. Crawford, and B. Woodward, Field Durability of CCA- and ACA-Treated Plywood Composed of Hardwood and Softwood Veneers, 2:76-82 (No. 8683).

De Groot, R.C., see Hassler, C.C.

De Groot, R.C., see Permadi, P.

de Hoop, C.F., S.R. Kleit, and S. Chen, An Overview of Logyards in Louisiana, 2:65-70 (No. 8640).

Devathala, S., see Marcinko, J.J.

DeVisser, D.A., see Suddarth, S.K.

Dickerson, S.D. and J. Stevens, Marketing Characteristics of Michigan Hardwood Products Exporters, 11/12:36-42 (No. 8755).

Dolowy, K., see Zielonka, P.

Dubois, M.R., A Comparison of Stumpage Valuation Methods for Procuring Wood Used in Linerboard Production, 10:35-42 (No. 8745).

Durrans, S.R., M.H. Triche,and S.K. Suddarth, Estimation of Lower Tail Quantiles of Weibull Probability Distributions for Lumber Strength, 1:96-101 (No. 8629).

### E

Eastin, I.L., C.L. Lane, R.D. Fight, and J. Barbour, An Assessment of the Industrial Markets for Softwood Clearwood Lumber, 11/12:48-54 (No. 8690).

Eckelman, C.A., see Liu, W.-Q.

Eckelman, C.A., see Ramirez-Coretti, A.

Eisenbraun, E.J., see Payne, K.W.

### F

Fight, R.D., see Eastin, I.L.

Fight, R.D., see Hartsough, B.R.

Fight, R.D., see Wagner, F.G.

Filip, G.M., see Rhatigan, R.G.

Foliente, G.C. and T.E. McLain, End-Notching Effect on Flexural Stiffness of Lumber: Preliminary Evaluation, 7/8:54-56 (No. 8708).

Fontenot, R., see Vlosky, R.P.

Forbes, C.L., Hardwood Plywood Product and Service Attributes Important to North American Hardwood Plywood Distributors, 6:23-27 (No. 8720).

Forbes, C.L., The Structure of the Hardwood Plywood Distribution Industry, 5:21-26 (No. 8684).

Forest, R.D. and S. Steward, WoodLINKS: An Education and Industry Revolution, 2:14-20 (No. 8729).

Forsman, J.W., see Simpson, W.T.

Forsyth, P.G., J.J. Morrell, and H. Chen, Rates of MITC Release From Basamid® Applied With Selected Additives to Douglas-fir Poles, 2:40-43 (No. 8653).

Forsyth, P.G., see Morrell, J.J.

Foster, J.R., see Reeb, J.E.

Freitag, C.M., see Morrell, J.J.

Freitag, C.M. and J.J. Morrell, Use of Gamma Radiation to Eliminate Fungi From Wood, 3:76-78 (No. 8677).

Fridley, K.J., see Nagele, T.C.

Fujii, Y., see Yanase, Y.

**G**

Galligan, W.L., see Suddarth, S.K.

Gan, J., see Zhang, D.

Gardner, D.J., see Hassler, C.C.

Gatchell, C.J., see Moody, J.

Geimer, R.L., see Kwon, J.H.

Gicqueau, A., see Hartsough, B.R.

Gilbert, R., A. Besner, C. Roy, and P. Octeau, Wood Hardness of Utility Poles. Part 1. Study of Physical Parameters in Correlation With the Linemen's Psychophysical Perception of Wood Pole Hardness, 10: 49-58 (No. 8741).

Gilbert, R., A.Besner, C. Roy, and P. Octeau, Wood Hardness of Utility Poles. Part 2. Transposition of a Wood Hardness Indicator Into a Measuring Instrument in Correlation With Linemen's Perception, 11/12:91-97 (No. 8742).

Gjovik, L.R., see De Groot, R.C.

Grace, J.K., Resistance of Pine Treated With Chromated Copper Arsenate to the Formosan Subterranean Termite, 3:79-82 (No. 8682).

Graham, M., see Hiziroglu, S.

Graham, R.D., see Morrell, J.J.

Gramp, G.D., see Groah, W.J.

Granskog, J., see Zhang, D.

Granskog, J.E., see Michael, J.H.

Graves, D.H., see Ringe, J.M.

Greene, J.L., see Peters, D.M.

Greene, W.D., B.D. Jackson, and D.C. Woodruff, Characteristics of Logging Contractors and Their Employees In Georgia, 1:47-53 (No. 8645).

Greene, W.D., see Wang, J.

Groah, W.J., G.D. Gramp, G.L. Heroux, and D.W. Haavik, Two Procedural Aspects of Measuring Formaldehyde Release From Wood Panel Products Using The Large Chamber, 9:75-80 (No. 8605).

Groom, L.H., see Shupe, T.E.

Grushecky, S., see Luppold, W.G.

Guddanti, S. and S.J. Chang, Replicating Sawmill Sawing With TOPSAW Using CT Images of a Full-Length Hardwood Log, 1:72-75 (No. 8616).

Guerin, J.M. and R.W. Rice, Product and Supplier Factors Affecting the Purchasing of U.S. Wood Products in the United Kingdom, 6:28-36 (No. 8699).

Gupta, R., see Riyanto D.S.

Gutkowski, R.M., see Peterson, M.L.

**H**

Haavik, D.W., see Groah, W.J.

Hadi, Y.S., D.S. Nawawi, E.N. Herliyana, and M. Lawniczak, Termite Attack Resistance of Four Polystyrene-Impregnated Woods From Poland, 9:60-62 (No. 8738).

Hammett, A.L., see Chamberlain, J.

Haney, H.L., Jr., see Peters, D.M.

Haney, H.L., Jr., see Shaffer, R.M.

Hansen, E.N., see Swearingen, K.A.

Harding, O.V. and R.P. Orange, The Effect of Juvenile Wood and Lay-Up Practices on Various Properties of Radiata Pine Laminated Veneer Lumber, 7/8:63-70 (No. 8744).

Harding, O.V., J.L. Van Wyk, and R.P. Orange, Influence of Three Processing Strategies on Stiffness and Dimensional Stability of Radiata Pine Structural Lumber, 5:57-62 (No. 8766).

Harris, T.G., Jr., see Yin, R.

Hart, J.H., see Kamdem, D.P.

Hartsough, B.R., A. Gicqueau, and R.D. Fight, Productivity and Cost Relationships for Harvesting Ponderosa Pine Plantations, 9:87-93 (No. 8694).

Hashim, R., see Yamamoto, K.

Hassler, C.C., J.J. Slahor, R.C. De Groot, and D.J. Gardner, Preservative Treatment Evaluation of Five Appalachian Hardwoods at Two Moisture Contents, 7/8:37-42 (No. 8756).

Hassler, C.C., see Luppold, W.G.

Hayashi, K., see Lee, N.-H.

Heemstra, H., see Kuo, M.

Helmer, W.A. and D.D. Stokke, A Case Study of Fluidized-Bed Combustion of Wood/Coal Mixtures. Part B. The Effect of Wood Moisture Content, 4:51-54 (No. 8667).

Helmer, W.A., D.D. Stokke, and J. Sun, A Case Study of Fluidized-Bed Combustion of Wood/Coal Mixtures. Part A. The Effect of Wood Particle Size, 3:46-49 (No. 8666).

Helsing, G.G., see Morrell, J.J.

Herliyana, E.N., see Hadi, Y.S.

Hernández, R.E., see Koubaa, A.

Heroux, G.L., see Groah, W.J.

Hillring, B. and J. Vinterbäck, Wood Pellets in the Swedish Residential Market, 5:67-72 (No. 8660).

Hiziroglu, S. and M. Graham, Effect of Press Closing Time and Target Thickness on Surface Roughness of Particleboard, 3:50-54 (No. 8638).

Hiziroglu, S., see Suchsland, O.

Hodges, D.G., see Munn, I.A.

Hodgson, T.J., see Huang, J.C.-C.

Hse, C.Y., see Shupe, T.E.

Huang, J.C.-C., C.T. Culbreth, J.A. Jones, R.E. King, and T.J. Hodgson, Decision Support System for Lumber Procurement and Dry Kiln Scheduling, 9:51-59 (No. 8759).

Huelman, P., see Pierquet, P.

Hughes, D.W., see Vlosky, R.P.

**I**

Imai, T., see Tejada, Á.

Imamura, Y., see Yanase, Y.

Itoh, T., see Tejada, Á.

Iyengar, G., see Suchsland, O.

**J**

Jackson, B.D., see Greene, W.D.

Jacobson, R., see Simonsen, J.

Janowiak, J.J. and B.S. Carlson, Methyl Glucoside and Lignosulphonate Extenders for Use With Particleboard UF Resins, 11/12: 65-70 (No. 8495).

Johnson, N., Extolling the Design and Construction Virtues of Wood, 5:12-17 (No. 8731).

Johnston, W.J., see Vlosky, R.P.

Jones, J.A., see Huang, J.C.-C.

Jung, H.-S., see Lee, N.-H.

**K**

Kamdem, D.P., J.H. Hart, and E. Behr, Field Performance of CCA Type C Non-Pressure-Treated Northern White Cedar (*Thuja occidentalis L.*) Sapwood, 2:49-51 (No. 8654).

Kamdem, D.P. see Munson, J.M.

Karchesy, J.J., see Reeb, J.E.

Kartunova, E., see Zink, A.G.

Katayama, H., see Xu, H.

Keegan III, C.E., D.P. Wichman, K.A. Blatner, D.D. Van Hooser, and S.A. Willits, Mill Residue Volume Factor Changes in Idaho and Montana, 3:73-75 (No. 8672).

Keegan III, C.E., see Wagner, F.G.

King, R.E., see Huang, J.C.-C.

Kitchens, S.C., see Schmidt, E.L.

Kleit, S.R., see de Hoop, C.F.

Klepac, J., see Kluender, R.

Kline, D.E., A. Widoyoko, J.K. Wiedenbeck, and P.A. Araman, Performance of Color Camera Machine Vision in Automated Furniture Rough Mill Systems, 3:38-45 (No. 8646).

Kline, D.E., see Buehlmann, U.

Klinkhachorn, P., see Moody, J.

Kluender, R., D. Lortz, W. McCoy, B. Stokes, and J. Klepac, Removal Intensity and Tree Size Effects on Harvesting Cost and Profitability, 1:54-59 (No. 8499).

Koubaa, A., R.E. Hernández, and M. Beaudoin, Shrinkage of Fast-Growing Hybrid Poplar Clones, 4:82-87 (No. 8693).

Kozak, R.A., see Vlosky, R.P.

Krahmer, R.L., see Reeb, J.E.

Kuo, M., D. Adams, D. Myers, D. Curry, H. Heemstra, J.L. Smith, and Y. Bian, Properties of Wood/Agricultural Fiberboard Bonded With Soybean-Based Adhesives, 2:71-75 (No. 8652).

Kwon, J.H. and R.L. Geimer, Impact of Steam Pressing Variables on the Dimensional Stabilization of Flakeboard, 4:55-61 (No. 8705).

**L**

Lam, F., see Courchene, T.

Lam, F., see Lu, C.

Lane, C.L., see Eastin, I.L.

Larson, D. and R. Mirth, Potential for Using Small-Diameter Ponderosa Pine: A Wood Fiber Projection, 6:37-42 (No. 8714).

Lawniczak, M., see Hadi, Y.S.

Lawson, D., see Vlosky, R.P.

Lebow, S.T. and J.E. Winandy, The Role of Grade and Thickness in the Degradation of Fire-Retardant-Treated Plywood, 6:88-94 (No. 8757).

Lee, N.-H., K. Hayashi, and H.-S. Jung, Effect of Radio-Frequency/Vacuum Drying and Mechanical Press-Drying on Shrinkage and Checking of Walnut Log Cross Sections, 5:73-79 (No. 8513).

Leichti, R.J., W.K. Savage III, and J.J. Morrell, Evaluating the Load Capacity of Gluman Davit Arms After 20 Years of Exposure, 7/8:57-62 (No. 8751).

Lewin, J.E., see Vlosky, R.P.

Lewis, S.L., see O'Regan, P.J.

Liao, T.W., see Coates, E.R.

Liu, J., see Zhang, D.

Liu, W.-Q. and C.A. Eckelman, Effect of Number of Fasteners on the Strength of Corner Joints for Cases, 1:93-95 (No. 8557).

Lortz, D., see Kluender, R.

Lu, C., P.R. Steiner, and F. Lam, Simulation Study of Wood-Flake Composite Mat Structures, 5:89-93 (No. 8707).

Luppold, W.G., J.E. Baumgras, and R.M. Sheffield, A Comparative Analysis of Hardwood Sawtimber Quality on National Forests Versus Adjacent Lands, 5:51-56 (No. 8712).

Luppold, W.G., C.C. Hassler, and S. Grushecky, An Examination of West Virginia's Logging Industry, 2:60-64 (No. 8662).

Lyke, J., The Impact of the North American Free Trade Agreement on U.S. Forest Products Trade With Canada and Mexico: An Assessment, 1:23-28 (No. 8637).

Lynch, T.B. and M.L. Clutter, A System of Equations for Prediction of Plywood Veneer Total Yield and Yield by Grade for Loblolly Pine Plywood Bolts, 5:80-88 (No. 8700).

**M**

Machado, J.S., see Cruz, H.

Maki, W.R., see Schallau, C.

Marcinko, J.J., S. Devathala, P.L. Rinaldi, and S. Bao, Investigating the Molecular and Bulk Dynamics of PMDI/Wood and UF/Wood Composites, 6:81-84 (No. 8758).

McAlister, R.H., see Clark, A., III,

McCoy, W., see Kluender, R.

McKillop, W., see Schallau, C.

McLain, T.E., see Foliente, G.C.

McQueen, J. and J. Stevens, Disposal of CCA-Treated Wood, 11/12:86-90 (No. 8747).

Merry, F.D., see Carter, D.R.

Michael, J.H., J. Teitel, and J.E. Granskog, Production Facility Site Selection Factors for Texas Value-Added Wood Producers, 7/8: 27-32 (No. 8783).

Mirth, R., see Larson, D.

Mittlestadt, C., see Peterson, M.L.

Monroe, P.A., see Vlosky, R.P.

Moody J., C.J. Gatchell, E.S. Walker, and P. Klinkhachorn, An Introduction to UGRS: The Ultimate Grading and Remanufacturing System, 9:45-50 (No. 8689).

Morita, T., K. Banshoya, T. Tsutsumoto, and Y. Murase, Effects of Work Materials on Cutting Performance of Diamond-Coated Cemented Carbide Tools, 5:43-50 (No. 8711).

Morrell, J.J., C.M. Freitag, M.A. Newbill, A. Connelly, and H. Chen, Seven-Year Performance of Glass-Encapulated Methylisothiocyanate, 1:65-71 (No. 8644).

Morrell, J.J., C.M. Freitag, A. Silva, Protection of Freshly Cut Radiata Pine Chips From Fungal Attack, 2:57-59 (No. 8680).

Morrell, J.J., M.A. Newbill, G.G. Helsing, and R.D. Graham, Surface Treatments Protecting Untreated Douglas-fir Timbers From Internal Decay, 5:63-66 (No. 8679).

Morrell, J.J., P.F. Schneider, and P.G. Forsyth, Performance of Gelled, Pelletized, and Liquid Metham Sodium as Internal Remedial Treatments for Douglas-fir Poles, 10:75-79 (No. 8293).

Morrell, J.J., see Forsyth, P.G.

Morrell, J.J., see Freitag, C.M.

Morrell, J.J., see Leichti, R.J.

Morrell, J.J., see Rhatigan, R.G.

Morris, P.I. and P. Cooper, Recycled Plastic/Wood Composite Lumber Attacked by Fungi, 1:86-88 (No. 8663).

Mtenga, P.V., Impact of Using a System Factor in the Design of Light-Frame Roof Assemblies, 5:27-34 (No. 8724).

Munn, I.A., J.B. Cutshall, and D.G. Hodges,1993 Pulpwood Logging Contractor Survey, 7/8:47-53 (No. 8704).

Munson, J.M. and D.P. Kamdem, Reconstituted Particleboards From CCA-Treated Red Pine Utility Poles, 3:55-62 (No. 8674).

Murase, Y., see Morita, T.

Myers, D., see Kuo, M.

**N**

Nagele, T.C. and K.J. Fridley, Dynamic Embedment of Metal Connections, 2:91-98 (No. 8669).

Nakao, T., see Xu, H.

Nawawi, D.S., see Hadi, Y.S.

Nedeltchev, R., see Barnekov, V.

Newbill, M.A., see Morrell, J.J.

Nicholson, G.A., see Skog, K.E.

Nunes, L., see Cruz, H.

**O**

Octeau, P., see Gilbert, R.

Okkonen, E.A. and C.B. Vick, Bondability of Salvaged Yellow-Cedar With Phenol-Resorcinol Adhesive and Hydroxymethylated Resorcinol Coupling Agent, 11/12:81-85 (No. 8722).

Okkonen, E.A., see Vick, C.B.

Okumura, S., see Yanase, Y.

Okuyama, T., see Tejada, Á.

Orange, R.P., see Harding, O.V.

O'Regan, P.J., F.E. Woeste, and D.B. Brakeman, Design Procedure for the Lateral Resistance of Tension Splice Joints in MPC Wood Trusses, 6:66-69 (No. 8688).

O'Regan, P.J., F.E. Woeste, and S.L. Lewis, Design Procedure for the Steel Net-Section of Tension Splice Joints in MPC Wood Trusses, 5:35-42 (No. 8687).

Ozanne, L.K., see Vlosky, R.P.

Ozarska, B., A Review of Current Research of Native Australian Species for Value-Added Opportunities, 10:23-27 (No. 8737).

**P**

Patterson, D.W. and X. Xie, Inside-Out Beams From Small-Diameter Appalachian Hardwood Logs, 1:76-80 (No. 8634).

Paun, D.A., see Vlosky, R.P.

Payne, K.W., R. Wittwer, S. Anderson, and E.J. Eisenbraun, Use of a Modified Abderhalden Apparatus to Determine Moisture and Oil Content of Eastern Redcedar, 7/8: 91-93 (No. 8768).

Pellerin, R.F., see Ross, R.J.

Permadi, P., R.C. De Groot, and B. Woodward Alternative Wood Preservatives for Use in Indonesia, 11/12:98-101 (No. 8642).

Peters, D.M., H.L. Haney, Jr., and J.L. Greene, The Effects of Federal and State Death and Gift Taxes on Nonindustrial Private Forest Lands in the Midwestern States, 9:35-44 (No. 8633).

Peterson, M.L., R.M. Gutkowski, S. Srinath, and C. Mittlestadt, A Method for Prediction of In-Situ Strength of Timber Beams Based on Higher Order Elastic Coefficients, 10:89-93 (No. 8721).

Pham, D.T. and R.J. Alcock, Automated Grading and Defect Detection: A Review, 4:34-42 (No. 8695).

Pierquet, P. , J.L. Bowyer, and P. Huelman, Thermal Performance and Embodied Energy of Cold Climate Wall Systems, 6:53-60 (No. 8665).

**Q**

Quin F., Jr., P.H. Steele, and R. Shmulsky, Locating Knots in Wood With an Infrared Detector System, 10:80-84 (No. 8636).

**R**

Ramirez-Coretti, A., C.A. Eckelman, and R.W. Wolfe, Inorganic-Bonded Composite Wood Panel Systems for Low-Cost Housing: A Central American Perspective, 4:62-68 (No. 8678).

Reeb, J.E., J.J. Karchesy, J.R. Foster, and R.L. Krahmer, Finger-Joint Quality After 4, 6, and 32 Hours of Knife Wear: Preliminary Results, 7/8:33-36 (No. 8777).

Reeb, J.E., see Ringe, J.M.

Reeb, J.E., see Swearingen, K.A.

Rhatigan, R.G., J.J. Morrell, and G.M. Filip, Toxicity of Methyl Bromide to Four Pathogenic Fungi in Larch Heartwood, 3:63-67 (No. 8686).

Rice, R.W., South Africa: Portrait of an Emerging Wood Products Market, 9:12-17 (No. 8734).

Rice, R.W., see Guerin, J.M.

Rinaldi, P.L., see Marcinko, J.J.

Ringe, J.M., D.H. Graves, and J.E. Reeb, Woodwaste Biomass Cofiring with High Sulpher Coal for Power Generation in Kentucky: A Case study, 4:88-93 (No. 8649).

Riyanto, D.S. and R. Gupta, A Comparison of Test Methods for Evaluating Shear Strength of Structural Lumber, 2:83-90 (No. 8626).

Romig, R.L., see Bumgardner, M.S.

Ross, E.S., see Vlosky, R.P.

Ross, R.J., B.K. Brashaw, and R.F. Pellerin, Nondestructive Evaluation of Wood, 1:14-19 (No. 8728).

Ross, R.J., see Simpson, W.T.

Ross, R.J., see Soltis, L.A.Rowell, R., see Simonsen, J.

Roy, C., see Gilbert, R.

Ruddell, S. and J. Stevens, The Adoption of ISO 9000, ISO 14001, and the Demand for Certified Wood Products in the Business and Institutional Furniture Industry, 3:19-26 (No. 8661).

Ruddell, S., J. Stevens, and I.J. Bourke, International Market Access Issues for Forest Products, 11/12:20-26 (No. 8736).

Ruddell, S., see Stevens, J.

**S**

Sanders, M.G., see Schmidt, E.L.

Savage III, W.K., see Leichti, R.J.

Schallau, C., W. McKillop, and W.R. Maki, Some Flaws in the Draft 1995 RPA Program, 11/12:43-47 (No. 8750).

Schmidt, E.L., T.L. Amburgey, and S.C. Kitchens, Mill Trial Confirms Control of Lumber Graystain and Sticker Shadow After Fumigation of Southern Hardwood Logs With Methyl Bromide, 6:50-52 (No. 8726).

Schmidt, E.L., T.L. Amburgey, M.G. Sanders, and C.D. Bell, Sulfuryl Fluoride and Methyl Bromide Fumigation of Hardwood Logs of Various Ages for Control of Lumber Graystain, 11/12:77-80 (No. 8780).

Schmidt, E.L., see Cassens, D.L.

Schmidt, R.G., Students Recruiting Students at Virginia Tech, 3:12-16 (No. 8730).

Schneider, P.F., see Morrell, J.J.

Sean, T., see Suchsland, O.

Serrano, J.R. and D. Cassens, Dimensional Stability of Red Oak Panels Produced From Small-Diameter Top Logs, 7/8:71-74 (No. 8717).

Shaffer, R.M., H.L. Haney, Jr., E.G. Worrell, and W.M. Aust, Forestry BMP Implementation Costs for Virginia, 9:27-29 (No. 8786).

Sheffield, R.M., see Luppold, W.G.

Shiau, R.-J., see Smith, R.L.

Shmulsky, R., see Quin F., Jr.,

Shupe, T.E., C.Y. Hse, E.T. Choong, and L.H. Groom, Effect of Wood Grain and Veneer Side on Loblolly Pine Veneer Wettability, 6:95-97 (No. 8754).

Silva, A., see Morrell, J.J.

Simonsen, J., R. Jacobson, and R. Rowell, Properties of Styrene-Maleic Anhydride Copolymers Containing Wood-Based Fillers, 1:89-92 (No. 8609).

Simpson, J.T., see Vlosky, R.P.

Simpson, W.T., J.W. Forsman, and R.J. Ross, Kiln-Drying Maple Structural Lumber From Log Heart Cants, 6:70-76 (No. 8773).

Skog, K.E. and G.A. Nicholson, Carbon Cycling Through Wood Products: The Role of Wood and Paper Products in Carbon Sequestration, 7/8:75-83 (No. 8675).

Slahor, J.J., see Hassler, C.C.

Smith, J.L., see Kuo, M.

Smith, P.M., see Vlosky, R.P.

Smith, R.L. and E. Cesa, An Assessment of "Technology Push" in the Timber Bridge Industry, 1:42-46 (No. 8621).

Smith, R.L. and R.-J. Shiau, An Industry Evaluation of the Reuse, Recycling, and Reduction of Spent CCA Wood Products, 2:44-48 (No. 8657).

Smith, T., see Vlosky, R.P.

Smith, W.R., see Wu, Q.

Soltis, L.A., R.J. Ross, and D.F. Windorski, Fiberglass-Reinforced Bolted Wood Connections, 9:63-67 (No. 8760).

Srinath, S., see Peterson, M.L.

Steiner, P.R., see Lu, C.

Steele, P.H., see Quin F., Jr.,

Stevens, J., M. Ahmad, and S. Ruddell, Forest Products Certification: A Survey of Manufacturers, 6:43-49 (No. 8740).

Stevens, J., see Dickerson, S.D.

Stevens, J., see McQueen, J.

Stevens, J., see Ruddell, S.

Steward, S., see Forrest, R.D.

Stokes, B., see Kluender, R.

Stokes, B.J., see Wang, J.

Stokke, D.D., see Helmer, W.A.

Suchsland, O., S. Hiziroglu, T. Sean, and G. Iyengar, Laboratory Experiments on the Use of Recycled Newsprint in Wood Composites, 11/12:55-64 (No. 8765).

Suchsland, O., see Barnekov, V.

Suchsland, O., see Xu, W.

Suddarth, S.K., W.L. Galligan, and D.A. DeVisser, Achieving Equivalence in Floor Deflection Performance With Differing Lumber Grading Systems, 6:61-65 (No. 8709).

Suddarth, S.K., see Durrans, S.R.

Sulaiman, O., see Yamamoto, K.

Sun, J., see Helmer, W.A.

Swearingen, K.A., E.N. Hansen, and J.E. Reeb, Customer Preference for Pacific Northwest Hardwoods, 2:29-33 (No. 8655).

**T**

Tanaka, C., see Xu, H.

Teeter, L., see Biblis, E.J.

Teitel, J., see Michael, J.H.

Tejada, Á., T. Okuyama, H. Yamamoto, M. Yoshida, T. Imai, and T. Itoh, Studies on the Softening Point of Wood Powder as a Basis for Understanding the Release of Residual Growth Stresses in Logs, 7/8:84-90 (No. 8778).

Thomas, R.E., ROMI-CROSS: An Analysis Tool for Crosscut-First Roughmill Operations, 3:68-72 (No. 8650).

Triche, M.H., see Durrans, S.R.

Tsutsumoto, T., see Morita, T.

**V**

Van Hooser, D.D., see Keegan III, C.E.

Van Sambeek, J.W., see Chen, P.Y.S.

Van Wyk, J.L., see Harding, O.V.

Vick, C.B. and E.A. Okkonen, Strength and Durability of One-Part Polyurethane Adhesive Bonds to Wood, 11/12:71-76 (No. 8844).

Vick, C.B., see Okkonen, E.A.

Vinterbäck, J., see Hillring, B.

Vlosky, R.P., N.P. Chance, P.A. Monroe, D.W. Hughes, and L.B. Blalock, An Integrated Market-Based Methodology for Valu-Added Solid Wood Products Sector Economic Development, 11/12:29-35 (No. 8775).

Vlosky, R.P. and L.K. Ozanne, Environmental Certification of Wood Products: The U.S. Manufacturers' Perspective, 9:21-26 (No. 8761).

Vlosky, R.P., E.J. Wilson, D.H. Cohen, R. Fontenot, W.J. Johnston, R.A. Kozak, D. Lawson, J.E. Lewin, D.A. Paun, E.S. Ross, J.T. Simpson, P.M. Smith, T. Smith, and B.M. Wren, Partnerships Versus Typical Relationships Between Wood Products Distributors and Their Manufacturer Suppliers, 3:27-35 (No. 8656).

**W**

Wagner, F.G., C.E. Keegan, R.D. Fight, and S. Willits, Potential for Small-Diameter Sawtimber Utilization by the Current Sawmill Industry in Western North America, 9:30-34 (No. 8743).

Walker, E.S., see Moody, J.

Wang, J., W.D. Greene, and B.J. Stokes, Stand, Harvest, and Equipment Interactions in Simulated Harvesting Prescriptions, 9:81-86 (No. 8696).

Wichman, D.P., see Keegan III, C.E.

Widoyoko, A., see Kline, D.E.

Wiedenbeck, J.K., Women's Work in Wood Products, 7/8:12-23 (No. 8733).

Wiedenbeck, J.K., see Buehlmann, U.

Wiedenbeck, J.K., see Kline, D.E.

Willits, S., see Wagner, F.G.

Willits, S.A., see Keegan III, C.E.

Wilson, E.J., see Vlosky, R.P.

Winandy, J.E., see Lebow, S.T.

Windorski, D.F., see Soltis, L.A.

Wittwer, R., see Payne, K.W.

Woeste, F.E., see O'Regan, P.J.

Wolfe, R.W., see Ramirez-Coretti, A.

Woodruff, D.C., see Greene, W.D.

Woodward, B., see De Groot, R.C.

Worrell, E.G., see Shaffer, R.M.

Wren, B.M., see Vlosky, R.P.

Wu, Q. and W.R. Smith, Effects of Elevated and High Temperature Schedules on Warp in Southern Yellow Pine Lumber, 2:52-56 (No. 8676).

**X**

Xie, X., see Patterson, D.W.

Xu, H., C. Tanaka, T. Nakao, and H. Katayama, Mechanical Properties of Plywood Reinforced by Bamboo or Jute, 1:81-85 (No. 8615).

Xu, W. and O. Suchsland, Influence of Out-of-Plane Orientation of Particles on Linear Expansion of Particleboard: A Simulation Study, 6:85-87 (No. 8697).

Xu, W. and O. Suchsland, Variability of Particleboard Properties From Single- and Mixed-Species Processes, 9:68-74 (No. 8776).

**Y**

Yamamoto, H., see Tejada, Á.

Yamamoto, K., O. Sulaiman, and R. Hashim, Nondestructive Detection of Heart Rot of *Acacia Mangium* Trees in Malaysia, 3:83-86 (No. 8685).

Yanase, Y., Y. Fujii, S. Okumura, Y. Imamura, and Tsuyoshi Yoshimura, Detection of AE Generated by the Feeding Activity of Termites Using PVDF (polyvinylidene fluoride) Film, 7/8:43-46 (No. 8617).

Yin, R., DEA: A New Methodology for Evaluating the Performance of Forest Products Producers, 1:29-34 (No. 8651).

Yin, R., J.P. Caulfield, M.E. Aronow, and T.G. Harris, Jr., Industrial Timberland: Current Situation, Holding Rationale, and Future Development, 10:43-48 (No. 8727).

Yoshida, M., see Tejada, Á.

Yoshimura, T., see Yanase, Y.

**Z**

Zhang, D., J. Liu, J. Granskog, and J. Gan, China: Changing Wood Products Markets, 6:14-20 (No. 8732).

Zhang, G., see Chen, P.Y.S.

Zielonka, P. and K. Dolowy, Microwave Drying of Spruce: Moisture Content, Temperature, and Heat Energy Distribution, 6:77-80 (No. 8719).

Zink, A.G. and E. Kartunova, Wood Failure in Plywood Shear Samples Measured With Image Analysis, 4:69-74 (No. 8716).